



CRAWL SPACE JACKPOST FOOTINGS



**LIGHTWEIGHT
AND EASY
TO HANDLE!**

Save Time, Labor, and Hassle Compared to Concrete

- Complete jobs faster and generate more revenue
- Eliminate back-breaking and expensive concrete
- Thin profile is ideal for working in tight crawl spaces
- Engineered from fiber-reinforced structural composite
- Independently certified and ICC building code compliant

**LIFETIME
GUARANTEE**
Made in USA



FootingPad® structural post footings are engineered to meet or exceed the load capacity of concrete, while being lightweight and easy to handle.

Advanced Composites are Superior to Concrete

Compared to concrete—which is heavy, requires mixing and curing time, and is prone to cracking—FootingPad footings are easy to handle, guaranteed to perform, and allow you to complete projects faster.

High Strength, Low Weight

FootingPad footings are engineered using a specially formulated, fiber-reinforced composite that is lightweight while providing exceptional strength. Load capacities were determined by an independent lab and validated by the International Code Council (ICC).

DIAMETER	THICKNESS	WEIGHT	MAX LOAD* 2,000 PSF SOIL	MAX LOAD* 3,000 PSF SOIL	MIN. POST
10"	1"	1 lb	1,081 lbs	1,622 lbs	3.5" x 3.5"
12"	1.5"	2.1 lbs	1,536 lbs	2,356 lbs	3.5" x 3.5"
16"	1.5"	4 lbs	2,739 lbs	4,200 lbs	4.5" x 5.5"
20"	2.5"	9 lbs	3,973 lbs	6,545 lbs	4.5" x 5.5"
24"	2.5"	13 lbs	5,784 lbs	9,327 lbs	4.5" x 5.5"

*maximum load based on the psf soil capacity noted



Made in USA

800.522.2426
FootingPad.com

ICC Building Code Compliant

FootingPad post footings are independently tested and certified to meet International Code Council building code standards.

The FootingPad ICC-ES Evaluation Report (ESR-2147) can be downloaded from footingpad.com/ICC.

IMPORTANT: *Please provide a printed copy of the ESR report to your building inspector, as this is the common method to show code compliance.*